



S.K. INSTRUMENT CABINET

Group No.8/B, Room No.197/2929, Amar Sahyog CHS Ltd, Near Old Post Office,
Behind Yashwant Hospital, Tagore Nagar, Vikhroli East-400083
Mob- 09833639555/9833636855/9833636555

GST-27ADIPT7642N1ZP

E-mail : info.skabinet@gmail.com, skinstrument@yahoo.com, web : www.skinstrument.in



IP 65,66,67 WATER PROOF JUNCTION BOXES

HAND HELD ENCLOSURES

TABLE TOP ENCLOSURES

DESK TOP ENCLOSURES

DIN RAIL ENCLOSURES

INDUSTRIAL CARRYING CASES

Sr.	Model No.	Dimensions	Sr.	Model No.	Dimensions
1	SK-553 AS/APC	50*52*35mm	48	1.02 AS/APC	275*225*105
2	SK-563 AS/APC	50*65*35mm	49	1.03 AS/APC	280*200*140
3	SK-513 AS/APC	50*100*35mm	50	1.05A AS/APC	250*300*146
4	SK-516 AS/APC	50*100*60mm	51	1.05B AS/APC	350*300*146
5	SK-885 AS/APC	80*82*55mm	52	3.03 AS/APC	450*300*210
6	SK-888 AS/APC	80*82*85mm	53	2.03 AS/APC	320*240*138
7	SK-801235 AS/APC	80*120*35mm	54	2.05A AS/APC	640*420*160
8	SK-815 AS/APC	80*120*55mm	55	2.05B AS/APC	640*420*210
9	SK-818 AS/APC	80*120*85mm	56	2.06 AS/APC	640*380*230
10	SK-80165 AS/APC	80*160*55mm	57	3.01B AS/APC	300*150*210
11	SK-8168 AS/APC	80*160*85	58	3.02 AS/APC	300*300*210
12	SK-80215 AS/APC	80*210*55mm	59	3.04 AS/APC	600*300*210
13	SK-802385 AS/APC	80*230*85mm	60	6.09 AS/APC	600*300*100
14	SK-101060 AS/APC	100*100*60mm	61	7.01 L AS/APC	SKO11-36
15	SK-101080 AS/APC	100*100*80mm	62	7.06A AS/APC	134*90*36 (Elenkey box)
16	SK-121470 AS/APC	120*140*70mm	63	5.01Eco AS/APC	2 Way - 138*98*75
17	SK-121410 AS/APC	120*140*100mm	64	5.01 AS/APC	2 Way - 225*150*100
18	SK-122055 AS/APC	120*200*55mm	65	5.02Eco AS/APC	4 Way - 160*115*75
19	SK-127 AS/APC	120*200*75mm	66	5.02 AS/APC	4 Way - 225*150*100
20	SK-129 AS/APC	120*200*90mm	67	5.03 AS/APC	8 Way - 225*225*100
21	SK-121255 AS/APC	122*125*55	68	5.04 AS/APC	12 Way - 300*225*100
22	SK-117 AS/APC	122*125*75mm	69	5.05A AS/APC	1*12 Way - 400*300*100
23	SK-121765 AS/APC	125*170*65mm	70	5.05 AS/APC	2*12 Way - 400*300*100
24	SK-121785 AS/APC	125*170*85mm	71	5.06 AS/APC	3*12 Way - 600*300*100
25	SK-139065 AS/APC	135*90*65	72	12.01 AS/APC	2 Way Window
26	SK-142260 AS/APC	140*225*60mm	73	12.02 AS/APC	4 Way Window
27	SK-142275 AS/APC	140*225*75mm	74	12.03 AS/APC	8 Way Window
28	SK-142211 AS/APC	140*225*105mm	75	12.04 AS/APC	12 Way Window
29	SK-142510 AS/APC	140*225*110mm			
30	SK-101570 AS/APC	150*100*70mm			
31	SK-151575 AS/APC	150*150*75mm			
32	SK-151510 AS/APC	150*150*100mm			
33	SK-181810 AS/APC	180*180*100mm			
34	SK-251570 AS/APC	150*200*70mm			
35	SK-152080 AS/APC	150*200*80mm			
36	SK-162560 AS/APC	160*250*60mm			
37	SK-1259 AS/APC	160*250*90mm			
38	SK-12515 AS/APC	160*250*115mm			
39	SK-212160 AS/APC	210*210*60mm			
40	SK-212110 AS/APC	210*210*105mm			
41	SK-212165 AS/APC	210*210*65mm			
42	SK-212111 AS/APC	210*210*110mm			
43	SK-238090 AS/APC	230*80*90mm			
44	SK-253085 AS/APC	250*300*85mm			
45	SK-253011 AS/APC	250*300*110mm			
46	SK-253015 AS/APC	250*300*150mm			
47	SK-253017 AS/APC	250*300*170mm			



AS = TOP ABS PLASTIC AND BOTTOM ABS PLASTIC

APC = TOP PC TRANSPARENT AND BOTTOM ABS PLASTIC

NOTE- ALUMINUM JUNCTION BOXES ALSO AVAILABLE IN 6-8 SIZES

HINGES TYPE BOX-IP67



SR.NO.	MODEL NO	SIZE
1	SKNH241912AS/APC	240x190x120MM
2	SKNH292012AS/APC	290x200x120MM
3	SKNH303015AS/APC	300x300x150MM
4	SKNH403517AS/APC	400x350x170MM
5	SKNH191410AS/APC	190X140X100MM
6	1.02AS/APC	275X225X105MM
7	1.03AS/APC	280X200X140MM
8	1.04AS/APC	280X280X130MM
9	1.05(A) AS/APC	350X300X146MM
10	1.05(B) AS/APC	350X300X205MM
11	SKNH212010AS/APC	210X200X100MM
12	SKPH323215AS/APC	325X325X150MM



- **H- Hinges, AS = Top & Bottom ABS Plastic, APC = Top Transparent Pc & Bottom Abs Plastic**

PLASTIC TABLE TOP

SR.NO.	MODEL NO	SIZE
1	SKO15-32	198X158X62MM
2	SKO15-32H1	198X158X118MM
3	SKO15-32-H2	198X158X155MM
4	SKO15-33	225X198X72MM
5	SKO15-33H1	225X198X118MM
6	SKO15-33H2	225X198X162MM
7	SKO15-34	290X258X72MM
8	SKO15-35	290X258X108MM
9	SKO15-35H1	290X258X150MM




MS TABLE TOP

SR.NO.	MODEL NO	SIZE
1	SKT162295	160X220X95MM
2	SKT162212	160X220X120MM
3	SKT232595	230X250X95MM
4	SKT232512	230X225X120MM
5	SKT323012	320X300C125MM



Note - Availabie in Both Aluminium & ABC Plastic (Front / Back Plate)

DESK TOP ENCLOSURES




Sr. No.	Product Code	Size(LxWxH)
1	SKO18-4	272x200x83 mm
2	SKO18-5	188x134x59 mm
3	SKO18-6	177x130x52 mm
4	SKO18-34	188x133x57 mm
5	SKO1188G	134x189x87mm
6	SKO18-100	272x200x83 mm

HAND HELD ENCLOSURES



Sr. No.	Product Code	Size(LxWxH)
1	SK 400 Black	155x80x25 mm
2	SK 400 B - BC - D	155x80x25 mm
3	SK 400 G - BC - D	155x80x25 mm
4	SK 400 B - S	155x80x25 mm
5	SK 400 G - S	155x80x25 mm
6	SK 100	155x80x25 mm
7	SK 100 B - BC	155x80x25 mm
8	SK 100 G - BC	95x85x24 mm
9	21-20-G-O	180x100x41 mm
10	21-20-G-O-BC	180x100x41 mm
11	SK21-22	236x130x43 mm
12	SK21-22D	236x130x43 mm
Sr. No.	Product Code	Size(LxWxH)
13	SK21-53	209x110x40 mm
14	SK21-53D	209x110x40 mm
15	SK21-24	197x108x69 mm
16	SK21-18D	135x70x24 mm
17	SKO400	155X80X25MM
18	SK21-39D	160x70x29 mm
19	SK21-109	112x86x57 mm
20	SK21-74D	83x152x34 mm
21	SK21-79	60x106x20 mm
22	21-20-G-S-BC	180x100x41 mm
23	21-20-G-S	180x100x41 mm

CARD MASTER WALL MOUNTING ENCLOSURES



Sr. No.	Product Code	Size(LxWxH)
1	11-23	295x255x111 mm
2	11-23T	295x255x111 mm
3	11-24	222x185x106 mm
4	11-24T	222x185x106 mm
5	11-25	165x158x121 mm
6	11-25T	165x158x121 mm
7	25/22-3TT	280x219x156mm
8	11-103	218x184x126 mm
9	11-103T	218x184x126 mm
Sr. No.	Product Code	Size(LxWxH)
10	11-193	198x191x120 mm
11	11-193T	198x191x120 mm
12	11-194	320x270x121 mm
13	11-194T	320x270x121 mm
14	11-195	190x173x130 mm
15	11-195T	190x173x130 mm
16	11-196	247x200x115 mm
17	11-196T	247x200x115 mm

CABLE GLANDS

LIGHT GREY, DARK GREY, BLACK




Sr. No.	Model	Cable Dia	Hole Dia
1	PG-7	3-6.5 mm	12.5 mm
2	PG-9	4-8 mm	15.2 mm
3	PG-11	5-10 mm	18.6 mm
4	PG-13.5	6-12 mm	20.4 mm



PG M Type Plastic Waterproof Cable Gland

DIN PANEL ENCLOSURES



Model	Specification
ED4-7522	(CN22)
ED4-7522V	(CN22-V)
ED4-7522F	(CN22-F)
ED4-7522VF	(CN22-VF)
ED4-7545	(CN45)
ED4-7545V	(CN45-V)
ED4-7545F	(CN45-F)
ED4-7545VF	(CN45-VF)
ED4-7555	(CN55)
ED4-7555V	(CN55-V)

Model	Specification
ED4-7555F	(CN55-F)
ED4-7555-VF	(CN55-VF)
ED4-7570	(CN70)
ED4-7570V	(CN70-V)
ED4-7570F	(CN70-F)
ED4-7570VF	(CN70-VF)
ED4-75100	(CN100)
ED4-75100V	(CN100-V)
ED4-75100F	(CN100-F)
ED4-75100VF	(CN100-VF)

V-WITH VETILATION,F-WITH FLAP,VF-WITH VENTILATION & FLAP

MCB BOX WITH WINDOW

Sr. No.	Model No.	Size(LxWxH)
1	SKNMS125590 - 2 Way	125x55x90
2	SKNMS151190 - 2 Way	150x110x90
3	SKPI-8	PI-8 DISTRUBUTION BOX
4	6 Way	6 Way Heavy Duty MCB Box
5	12 Way	HT - 12 Way

SOCKET ENCLOSURES

Sr. No.	Model No.	Size(LxWxH)
1	N-Socket Enclouser	305x125x107mm
2	N-3 Socket Enclouser	500x145x100mm
3	N-4 Socket Enclouser	445x205x145mm
4	Socket Enclouser	420x230x140mm
5	6 Socket Enclouser	400x300x140mm

INDUSTRIAL CARRYING CASES




Specification>

Model	OD(mm)	ID(mm)	Lid/bottom depth(mm)	Net weight(kg)	IP rate	Pull rod	Material	Optional color
45-1	263x206x106	239x159x92.5	26/66.5	0.75	IP67		ABS/PP	■ ■ ■ ■ ■
45-2	263x206x156	239x159x142.5	26/116.5	1	IP67		ABS/PP	■ ■
45-3	335x236x126	309x189x112	26/86	1.2	IP67		ABS/PP	■ ■
45-4	335x236x176	309x189x162	26/136	1.4	IP67		ABS/PP	■ ■
45-15	303x250x136	279x199x122	26/96	1.27	IP67		ABS/PP	■ ■ ■ ■ ■
45-25	260x206x126	236x156x112.5	26/86.5	0.94	IP67		ABS/PP	■ ■
45-27	273x222x84	252x152x63	31.5/31.5	0.78	IP55		ABS/PP	■
45-28	390x314x102	369x236x84	42/42	1.41	IP55		ABS/PP	■
45-29	256x240x94	219x186x77	38.5/38.5	0.74	IP55		ABS/PP	■
45-5	383x296x166	358.5x238.5x151.5	30.5/121	1.9	IP67		ABS/PP	■ ■ ■
45-6	425x336x126	398.5x278.5x111	30/81	2.1	IP67		ABS/PP	■ ■ ■
45-7	425x336x196	398.5x278.5x181	30/151	2.5	IP67		ABS/PP	■ ■ ■
45-8	476x386x206	442x322x190.7	40/150.7	3.3	IP67		ABS/PP	■ ■ ■ ■ ■
45-14	473x386x151	442x322x135.7	40/95.7	3	IP67		ABS/PP	■ ■ ■
45-16	358x281x116	334x229x102	26/76	1.5	IP67		ABS/PP	■ ■
45-17	358x281x156	334x229x142	26/116	1.73	IP67		ABS/PP	■ ■
45-30	419x229x341	365x165x301	52/249	2.86	IP67		ABS/PP	■
45-39	395x296x186	368.5x238.5x171.5	30.5/141	2.29	IP67		ABS/PP	■
45-9	586x436x216	547x367x200	50/150	4.6	IP67		ABS/PP	■ ■ ■
45-10	580x436x286	547x367x270	50/220	5.4	IP67		ABS/PP	■ ■
45-13	762x396x193	697x327x172	36/136	5.5	IP67		ABS/PP	■
45-18	520x466x146	492x402x131	40/91	4.2	IP67	✓	ABS/PP	■ ■
45-19	551x466x224	492x402x191	40/151	6.2	IP67	✓	ABS/PP	■ ■
45-20	647x496x224	587x427x189.5	49.5/140	7.8	IP67	✓	ABS/PP	■ ■
45-21	647x496x304	587x427x269.5	49.5/220	8.8	IP67	✓	ABS/PP	■ ■
45-24	538x400x200	492x336x167	40/127	5.5	IP67	✓	ABS/PP	■
45-26	539x398x174	482x336x164	41.5/122.5	2.6	IP67		ABS/PP	■
45-34	670x442x170	650*410*163	81.5/81.5	3.68	IP55		ABS/PP	■
45-35	492x353x122	459x289x105	34/71	2.46	IP67		ABS/PP	■ ■
46-1200	306x246x128	235x181x113	30/83	1.27	IP67		ABS/PP	■ ■
46-1400	345x298x148	300x225x132	30/102	1.98	IP67		ABS/PP	■ ■
46-1450	412x330x168	379x267x156	44/112	3.8	IP67		ABS/PP	■
46-1455	395x302x168	348x228x152	31/121	2.45	IP67		ABS/PP	■
46-1456	435x343x150	390x270x134	31/103	2.7	IP67		ABS/PP	■
46-1457	435x343x198	390x270x182	31/151	3	IP67		ABS/PP	■
46-1460	532x330x322	490x268x309	152/157	4.5	IP67	✓	ABS/PP	■
46-1510	559x355x239	502x277x193.5	45.5/148	5.4	IP67	✓	ABS/PP	■
46-1550	520x432x212	485x372x198	46/152	4.2	IP67	✓	ABS/PP	■
46-1560	575x472x272	535x412x235	54/181	6	IP67	✓	ABS/PP	■
46-1610	643x505x314	553x419x270	52/218	9.9	IP67	✓	ABS/PP	■
46-1620	643x505x363	548x414x319	52/267	10.5	IP67	✓	ABS/PP	■
46-1630	802x629x435	703x533x391	83/308	14.1	IP67	✓	ABS/PP	■
46-1640	704x701x397	609x602x353	51/302	13.6	IP67	✓	ABS/PP	■
46-1650	813x528x310	724x441x266	47/219	11.95	IP67	✓	ABS/PP	■
46-1655	793x426x220	730x350x200	50/150	5.9	IP67	✓	ABS/PP	■
46-1660	820x600x492	716x499x448	89/359	15.2	IP67	✓	ABS/PP	■
46-1690	861x731x425	762x635x381	73/308	17.75	IP67	✓	ABS/PP	■
46-1720	1128x410x162	1076x356x149	46/103	6.5	IP67		ABS/PP	

CUSTOMISE ALUMINUM CARRYING CASES ALSO AVAILABLE

ED-2 (Model A) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	30	ED2A – 1173	30x70x110	4+4	5mm	SLOT
2	50	ED2A – 1175	50x70x110	8+8	5mm	SLOT
3	70	ED2A – 1177	70x70x110	12+12	5mm	SLOT
4	90	ED2A – 1179	90x70x110	16+16	5mm	SLOT
5	110	ED2A – 11711	110x70x110	20+20	5mm	SLOT




ED-2 (MODEL - B) SERIES 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2B- 1173	30x70x110	4+4	5mm	5.08mm
2	✓	ED2B – 1175	50x70x110	8+8	5mm	5.08mm
3	✓	ED2B – 1177	70x70x110	12+12	5mm	5.08mm
4	✓	ED2B – 1179	90x70x110	16+16	5mm	5.08mm
5	✓	ED2B – 11711	110x70x110	20+20	5mm	5.08mm




ED-2 (Model C) Series 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2C – 1153	30x50x110	4+4	5mm	5.08mm
2	✓	ED2C – 1155	50x50x110	8+8	5mm	5.08mm
3	✓	ED2C – 1157	70x50x110	12+12	5mm	5.08mm
4	✓	ED2C – 1159	90x50x110	16+16	5mm	5.08mm
5	✓	ED2C – 11511	110x50x110	20+20	5mm	5.08mm



ED-2 (Model) Series 70

SR.NO.	Flap	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Pitch
1	✓	ED2D – 1135	50x30x110	8+8	5mm	5.08mm
2	✓	ED2D – 1137	70x30x110	12+12	5mm	5.08mm
3	✓	ED2D – 1139	90x30x110	16+16	5mm	5.08mm
4	✓	ED2D – 11311	110x30x110	20+20	5mm	5.08mm



ED-3 (7610) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	60	Ed3 - 7610	60x100x70	T3-12	9.15mm	Finger Guard




ED-3 (7010) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	100	Ed3 - 7010	70x100x110	20	9.15mm	Finger Guard



ED-3 (7015) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	150	Ed3 - 7015	70x150x110	T3-3	9.15mm	Finger Guard



ED-3 (7045) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	110	Ed3 - 7045	70x45x110	10	9.15mm	Finger Guard



ED-3 (7055) Series 70

SR.NO.	Width Size	Enclosure Model	External Dimension WxLxH	Terminals	Pitch	Optional
1	110	Ed3 - 7055	70x55x110	12	9.15mm	Finger Guard

Dealer

